





 <b>Dettagli Tecnici</b>	
<b>Materiale:</b>	Acciaio inox 304L
<b>Conformità:</b>	EN 1.4307

 <b>Technical Details</b>	
<b>Material:</b>	304L Stainless steel
<b>According to:</b>	EN 1.4307

 <b>Fiche Technique</b>	
<b>Matériel:</b>	Acier inox 304L
<b>Conformité:</b>	EN 1.4307

Descrizione	Codice	Norme	Materiale	Dimensioni
 <p>Curva a 90° 90° Elbow Coude à 90°</p>	RS 260	ASME B16.9 ASTM403	Aisi 304L EN 1.4307	21,3X2 26,9x2 33,7x2 42,4x2 48,3x2 60,3x2 76,1x2 88,9x2 114,3x2 139,7x2 168,3x2 219,1x2 273x2 323,9x2
 <p>Riduzione concentrica Concentric reducer Réduction concentrique</p>	RS 294	ASME B16.9 ASTM403	Aisi 304L EN 1.4307	33,7-26,9 88,9-76,1 42,4-26,9 114,3-60,3 42,4-33,7 114,3-76,1 48,3-26,9 114,3-88,9 48,3-33,7 139,7-76,1 48,3-42,4 139,7-88,9 60,3-33,7 139,7-114,3 60,3-42,4 168,3-88,9 60,3-48,3 168,3-114,3 76,1-42,4 168,3-139,7 76,1-48,3 219,1-114,3 76,1-60,3 219,1-139,7 88,9-48,3 219,1-139,7 88,9-60,3
 <p>Tee</p>	RS 250	ASME B16.9 ASTM403	Aisi 304L EN 1.4307	21,3X2 26,9x2 33,7x2 42,4x2 48,3x2 60,3x2 76,1x2 88,9x2 114,3x2 139,7x2 168,3x2 219,1x2 273x2 323,9x2
 <p>Fondo bombato Convex cap Fond arrondi</p>	RS 288	ASME B16.9 ASTM403	Aisi 304L EN 1.4307	21,3X2 26,9x2 33,7x2 42,4x2 48,3x2 60,3x2 76,1x2 88,9x2 114,3x2 139,7x2 168,3x2 219,1x2 273x2 323,9x2